

MATERIAL SAFETY DATA SHEET

ARTIKAMART MSDS NUMBER: 5264972

309, Basement, Sector 21C, PRODUCT CODE: 2453785625

Faridabad, Haryana 121001, INDIA DATE: 19/02/2025

1) Identification of the substance or mixture and of the supplier

Product name: SM Cocoyl Taurate Powder SCMT

INCI Name: Sodium methyl cocoyl taurate

CAS Number: 61791-42-2 Formula: No data available Product Form: Solid (powder) Product Use: Cosmetic use

2) COMPANY: ART VATIKA INSTITUTE

Contact Person: Mr. Harsh Aggarwal (For commercial and technical detail) **Head Office:** 309, Basement, Sector 21C, Faridabad, Haryana 121001, INDIA.

E-mail: help@artikamart.com **Website:** www.artikamart.com

Telephone: +91 9818304044 and +91 8368527252

Emergency telephone: In case of chemical emergency involving transportation

spills, leaks, fires or accidents.



2 HAZARDS IDENTIFICATION

GHS Classification: Serious Eye Damage/Eye Irritation: Category 2A

Signal Word: WARNING

GHS Hazard Pictograms:

GHS Hazard Statements: H319: Causes serious eye irritation.
GHS Precautionary Statements: P264: Wash thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.
P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337 + P313: If eye irritation persists: Get medical advice/attention.

Potential Health Hazards: Eyes: Causes serious eye irritation. Adverse symptoms may include pain or irritation,

watering, and redness.

Inhalation: Exposure to decomposition products may cause a health hazard. Serious

effects may be delayed following exposure.

Skin: No known significant effects or critical hazards. Ingestion: Irritating to mouth, throat, and stomach.

NFPA Ratings (704):

Health 2 Moderate
Flammability 1 Slight
Reactivity 0 Minimal

Specific Hazard N/A

3 COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No.	Weight %	Molecular Weight
Sodium Methyl Cocoyl Taurate	61791-42-2	>70%	Not Available
Sodium Chloride	7440-23-5	<18%	Not Available
Water	7732-18-5	<3%	Not Available
Coconut Fatty Acids	61788-47-4	<3%	Not Available
Approx. 55% coconut derived			

4 FIRST AID MEASURES

Eyes: Rinse thoroughly with water for some minutes. Seek medical attention if necessary.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, breathing is

irregular, or respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention immediately.



Skin:

ART VATIKA INSTITUTE

Maintain an open airway. Loosen tight clothing such as collar, tie, belt, or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delated. The exposed person may need to be kept under

medical surveillance for 48h hours.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shows. Get medical attention if

symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion: Remove dentures, if any. Wash out mouth with water. Stop if the exposed person feels sick, as vomiting may be

dangerous. Remove victim to fresh air and keep at erst in a position comfortable for breathing. Do Not Induce Vomiting unless directed to do no by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention

immediately. Maintain an open airway. Loosen tight clothing such as collar, tie, belt, or waistband.

5 FIRE-FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media; Special protective equipment & precautions for firefighters; May be combustible at high temperature. Use appropriate media (use extinguishable agent suitable for the surrounding area) for adjacent fire. Do not use direct water jet. Wear self-contained breathing apparatus with a full face-piece operated in positive-pressure

mod, and full protective clothing, including eye protection and boots. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk with or without suitable training.

199.94°F (93.30°C)

Specific hazards arising from the

chemical:

Flash Points:

May emit toxic fumes under fire conditions. See also Stability and Reactivity section.

6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment & emergency procedures; Environmental precautions;

Do not try to clean up the leak without proper protective equipment. See section 8 for recommendations on the use of personal protective equipment.

Avoid liquid release into sewers/public water. Notify environmental authorities in case of large leaks.

Methods and material for containment and cleaning up: Small spill: Move containers from spill area. Avoid dust generation. Using a vacuum with a HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Large spill: Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements, or confirmed areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal container.

7 HANDLING & STORAGE

Precautions for safe handling: Put on appropriate personal protective equipment. Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored, and processed. Workers should wash hands and face before eating, drinking, and smoking. Do not get in eyes or on skin or on clothing. Do not ingest. If during normal use that material presents a respiratory hazard, us only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from compatible material, kept tightly closed when not in use. Empty containers retain product reside and can be hazardous. Do not reuse container. See section 8 for recommendations on the use of personal protective equipment.

Conditions for safe storage, incl. any incompatibilities: Store in accordance with local regulations. Store in original container in a dry, cool, and well-ventilated area. Keep container tightly closed and sealed until ready to use. Containers that have been opened must be carefully rereleased and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Keep away from sunlight, food, drink, heat, and incompatible materials (see section 10 for incompatibilities).

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Component
SM Cocoyl Taurate Powder

Exposure Limits Not available Basis

Entity



TWA: Time Weighted Average over 8 hours of work. TLV: Threshold Limit Value over 8 hours of work.

REL: Recommended Exposure Limit PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit during x minutes. IDLH: Immediately Dangerous to Life or Health WEEL: Workplace Environmental Exposure Levels

CEIL: Ceiling

Personal Protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is Eyes:

necessary to avoid exposure to liquid splashes, mists, gases, or dusts. Recommended: splash goggles. Inhalation: Use a properly-fitted particulate filter respirator complying with an approved standard if a risk assessment

indicates this as necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapors, or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminates below any recommended or statutory

limits.

Body: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when

handling chemical products if a risk assessment indicates this is necessary. Body protection: recommended: safety

Other: Wash hands, forearms, and faces thoroughly after handling chemical products, before eating, smoking, and using

the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Use good personal hygiene practices. Provide

eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling.

9 PHYSICAL AND CHEMICAL PROPERTIES

Solid (powder) Vapor Pressure: No data available Appearance: Odor: Characteristic Vapor Density: No data available Odor Threshold: No data available Evaporation Rate: No data available Flammability: Color: Off-white No data available Molecular Weight: No data available Upper/lower Explosive Limit: No data available

Flash Point (closed cup): 199.94°F (93.30°C) No data available

Boiling Point: >100°C (>212°F) Specific Gravity: >1 Melting Point: Solubility in Water: Partially soluble in cold water. No data available

Easily soluble in hot water. 1.28 g/cm3 @ 20°C (68°F) 748.40°F (398.00°C) Relative Density: Auto-Ignition Temperature:

Partition Coefficient: n-No data available Decomposition Temperature:

octanol/water:

No data available **Explosive Properties:** No data available Viscosity: Oxidizing Properties: No data available Freezing Point: No data available

10 STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Stable

Hazardous Polymerization: Will not occur under normal use.

Conditions to Avoid: No data available

Incompatible Materials: Store away from direct sunlight, food, and drink.

Hazardous Decomposition Products: No data available

11 TOXICOLOGICAL INFORMATION

Acute Toxicity: No data available LD50: >2000 mg/kg Skin:

Eyes: Irritant.

LD50: >2000 mg/kg Respiratory: Ingestion: No data available

Carcinogenicity: Not classified as carcinogen by IARC, NTP, OSHA, EU, or ACGIH.

Teratogenicity: No data available Germ Cell Mutagenicity: No data available No data available Embryotoxicity: Specific Target Organ Toxicity: No data available

Instagram / @artvatika and @mold_material Facebook / Art Vatika help@artikamart.com

LinkedIn / Artikamart Youtube / Art Vatika www.artikamart.com



Reproductive Toxicity:
Respiratory/Skin Sensitization:
Corrosivity:
Sensitization:
Irritation:
Repeated Dose Toxicity:
No data available
No data available
No data available
No data available

12 ECOLOGICAL INFORMATION

Ecotoxicity

Aquatic Vertebrate: No data available
Aquatic Invertebrate: No data available
Terrestrial: No data available
No data available
Persistence and Degradability: Readily biodegradable.
Bioaccumulative Potential: Log Pow: 0.24; low potential.

Mobility in Soil: No data available PBT and vPvB Assessment: No data available Other Adverse Effects: No data available

13 DISPOSAL CONSIDERATIONS

Waste Residues: DO NOT DUMP INTER ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal methods

must be in compliance with all Federal, State/Provincial, and local laws and regulations. Regulations may vary in different locations. Waste Characterizations and compliance with applicable laws are the responsibility solely of the waste generator. MAKINGCOSMETICS HAS NO COTROL OVER THE MANAGEMENT PRACTICES OR MANUFACTURING PROCESSES OF PARTIES HANDLING OR USING THIS MATERIAL. THIS INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTENDED CONDITION AS DESCRIBED IN SDS SECTION 2. FOR UNUSED & UNCONTAMINATED PRODUCT, the preferred options include

sending to a licensed, permitted: recycler, incinerator, or other thermal deconstruction device.

Product Containers: Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies, if necessary, before disposing of waste product container.

The information in section 13 is for the product as shipped. Use and/or alterations to the product may change the characteristics of the material and alter the waste classification and proper disposal methods

14 TRANSPORT INFORMATION

DOT (Dept. of Transportation, USA):

TDG (Transportation of Dangerous Goods, Canada):

IMDG (International Maritime Dangerous Goods):

IATA (International Air Transport Association):

ICAO (International Civil Aviation Organization):

Harmonization Code:

3402.11.0000

15 REGULATORY INFORMATION

TSCA Inventory Status: Not registered.

DSCL (EEC): No data available
WHMIS (Canada): No data available

DSL (Canada): All components are listed or exempted.

EU EINECS/ELINCS/NLP: Unknown.

China IECSC: All components are listed or exempted.
China IECIC (06,30,2014): All components are listed or exempted.
Australia AICS: All components are listed or exempted.



Taiwan TSCI: All components are listed or exempted.

SARA Title III Section 313: Unknown. R&D Exemption: Unknown.

16 OTHER INFORMATION

Revision Date: 23-Aug-2021

Compliance: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication

Standard 29 CFR 1910.1200

Disclaimer: This information relates only to the specific material designated and may not be valid for such material used in

combination with any other materials or in any other process. Such information is to be the best of the company's knowledge and believed accurate and reliable as of the date indicated. However, no representation, warranty or guarantee of any kind, express or implied, is made as to its accuracy, reliability or completeness and we assume no responsibility for any loss, damage or expense, direct or consequential, arising out of use. It is the user's responsibility to satisfy himself as to the suitableness & completeness of such information for his

own particular use.